



CODE	DESCRIPTION	UOM	LIST
Truss & Structures			
Tools			
THC-38	Copper Hammer, 38mm Face With Wooden Handle	Each	POA
Hoists			
Lever Hoists			
ACRRLH250KG1.5M	250kg Handy Ratchet Lever Hoist With 1.5m Lifting Height	Each	POA
ACRRLH250KG3M	250kg Handy Ratchet Lever Hoist 3m Lifting Height	Each	POA
ACRRLH3000KG1.5M	3000kg Ratchet Lever Hoist With 1.5m Lifting Height	Each	POA
ACRRLH500KG1.5M	500kg Handy Ratchet Lever Hoist With 1.5m	Each	POA
ACRRLH500KG8M	500kg Handy Ratchet Lever Hoist With 8m Lifting Height	Each	POA
ACRRLH750KG1.5M	750kg Ratchet Lever Hoist With 1.5m Lifting Height	Each	POA
ACRRLH750KG3M	750kg Ratchet Lever Hoist With 3m Lifting Height	Each	POA
Hardware			
Ratchet Straps			
ACRERS1-1	Endless Ratchet Strap, 25mm Wide, 1m Long, 1000kg MBF - Black	Each	POA
ACRERS1-2	Endless Ratchet Strap, 25mm Wide, 2m Long, 1000kg MBF - Black	Each	POA
ACRERS1-5	Endless Ratchet Strap, 25mm Wide, 5m Long, 1000kg MBF - Black	Each	POA
ACRERS1-10	Endless Ratchet Strap, 25mm Wide, 10m Long, 1500kg MBF - Black	Each	POA
ACRERS5-1	Endless Ratchet Strap, 50mm Wide, 1m Long, 5000kg MBF - Black	Each	POA
ACRERS5-2	Endless Ratchet Strap, 50mm Wide, 2m Long, 5000kg MBF - Black	Each	POA
ACRERS5-5	Endless Ratchet Strap, 50mm Wide, 5m Long, 5000kg MBF - Black	Each	POA
ACRERS5-10	Endless Ratchet Strap, 50mm Wide, 10m Long, 5000kg MBF - Black	Each	POA
ACRERS1-3	Endless Ratchet Strap, 25mm Wide, 3m Long, 1000kg MBF - Black	Each	POA
ACRERS1W-2	Endless Ratchet Strap, 25mm Wide, 2m Long, 1500kg MBF - White	Each	POA
ACRERS5-3	Endless Ratchet Strap, 50mm Wide, 3m Long, 5000kg MBF - Black	Each	POA
ACRERS5-6	Endless Ratchet Strap, 50mm Wide, 6m Long, 5000kg MBF - Black	Each	POA
Roundslings			
VIRS21B	Roundsling 2000kg Black. 1m Circ - 0.5m EWL	Each	POA
VIRS22B	Roundsling 2000kg Black. 2m Circ - 1m EWL	Each	POA
VIRS24B	Roundsling 2000kg Black. 4m Circ - 2m EWL	Each	POA
VIRS21.5B	Roundsling 2000kg Black. 1.5m Circ - 0.75m EWL	Each	POA
VIRS22.5B	Roundsling 2000kg Black. 2.5m Circ - 1.25m EWL	Each	POA
VIRS22B-TSL	Roundsling 2000kg Black. 2m Circ - 1m EWL - Labelled TSL	Each	POA
VIRS23B	Roundsling 2000kg Black. 3m Circ - 1.5m EWL	Each	POA
VIRS25B	Roundsling 2000kg Black. 5m Circ - 2.5m EWL	Each	POA
VIRS26B	Roundsling 2000kg Black. 6m Circ - 3m EWL	Each	POA
VIRS28B	Roundsling 2000kg Black. 8m Circ - 4m EWL	Each	POA
Steels			
1.0 Tonne Metric Galv			
ACRSWRS10G-0.5	0.5m 10mm Galvanised Steel Wire Rope Sling. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-0.75	0.75m 10mm Galvanised Steel Wire Rope Sling. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-1	1m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-1.5	1.5m 10mm Galvanised Steel Wire Rope Sling. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-10	10m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-10.5	10.5m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-15	15m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-2	2m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-2.5	2.5m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-20	20m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-25	25m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-3	3m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-3.5	3.5m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-4	4m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-4.5	4.5m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-5	5m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-5.5	5.5m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-6	6m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-6.5	6.5m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-7	7m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-7.5	7.5m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-8	8m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-8.5	8.5m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-9	9m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-9.5	9.5m 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
1.0 Tonne Metric Imperial			

All prices are ex works High Wycombe, exclude VAT and are subject to change without notice. E&OE

A.C. Entertainment Technologies Limited

Tel: +44 (0)1494 446000

Fax: +44 (0)1494 461024

E-Mail: sales@ac-et.com

Website: www.ac-et.com

A.C. Rigging 11th February 2012 2:04PM

Section 126.0





ACRSWRS10G-10FT	10 Foot 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-15FT	15 Foot 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-1FT	1 Foot 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-20FT	20 Foot 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-25FT	25 Foot 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-2FT	2 Foot 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-30FT	30 Foot 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-3FT	3 Foot 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-4FT	4 Foot 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-5FT	5 Foot 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10G-8FT	8 Foot 10mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
1.0 Tonne Metric Galv PVC Tube			
ACRSWRS10GT-0.5	0.5m 10mm Galvanised Steel Wire Rope Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-1	1m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-1.5	1.5m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-10	10m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-10.5	10.5m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-15	15m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-2	2m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-2.5	2.5m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-20	20m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-25	25m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-3	3m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-3.5	3.5m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-4	4m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-4.5	4.5m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-5	5m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-5.5	5.5m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-6	6m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-6.5	6.5m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-7	7m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-7.5	7.5m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-8	8m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-8.5	8.5m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-9	9m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-9.5	9.5m 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
1.0 Tonne Imperial Galv PVC Tube			
ACRSWRS10GT-10FT	10 Foot Long 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-15FT	15 Foot 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-1FT	1 Foot 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-20FT	20 Foot 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-25FT	25 Foot 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-2FT	2 Foot 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-30FT	30 Foot 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-3FT	3 Foot 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-4FT	4 Foot 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-5FT	5 Foot 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10GT-8FT	8 Foot 10mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
1.0 Tonne Metric Black Steel			
ACRSWRS10B-0.5	0.5m 10mm Black Steel Wire Rope Sling. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-0.75	0.75m 10mm Black Steel Wire Rope Sling. Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-1	1m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-1.5	1.5m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-10	10m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-10.5	10.5m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-15	15m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-2	2m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-2.5	2.5m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-20	20m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-25	25m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-3	3m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-3.5	3.5m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-4	4m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA

All prices are ex works High Wycombe, exclude VAT and are subject to change without notice. E&OE

A.C. Entertainment Technologies Limited

Tel: +44 (0)1494 446000


Fax: +44 (0)1494 461024

E-Mail: sales@ac-et.com

Website: www.ac-et.com

A.C. Rigging 11th February 2012 2:04PM

Section 126.0





ACRSWRS10B-4.5	4.5m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-5	5m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-5.5	5.5m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-6	6m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-6.5	6.5m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-7	7m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-7.5	7.5m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-8	8m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-8.5	8.5m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-9	9m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-9.5	9.5m 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
1.0 Tonne Imperial Black Steel			
ACRSWRS10B-10FT	10 Foot 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-15FT	15 Foot 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-1FT	1 Foot 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-20FT	20 Foot 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-25FT	25 Foot 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-2FT	2 Foot 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-30FT	30 Foot 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-3FT	3 Foot 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-4FT	4 Foot 10mm Black SWR With Thimbles, Tapered Ferrules WLL 1200kg	Each	POA
ACRSWRS10B-5FT	5 Foot 10mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 1000kg	Each	POA
ACRSWRS10B-8FT	8 Foot 10mm Black SWR With Thimbles, Tapered Ferrules WLL 1200kg	Each	POA
2.0 Tonne Metric Galv			
ACRSWRS13G-0.5	0.5m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-0.75	0.75m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-1	1m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-1.5	1.5m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-10	10m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-10.5	10.5m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-15	15m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-2	2m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-2.5	2.5m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-20	20m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-25	25m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-3	3m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-3.5	3.5m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-4	4m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-4.5	4.5m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-5	5m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-5.5	5.5m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-6	6m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-6.5	6.5m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-7	7m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-7.5	7.5m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-8	8m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-8.5	8.5m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-9	9m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-9.5	9.5m 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
2.0 Tonne Imperial Galv			
ACRSWRS13G-10FT	10 Foot 13mm Galvanised Steel Wire Rope Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-15FT	15 Foot 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-1FT	1 Foot 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-20FT	20 Foot 13mm Galvanised Steel Wire Rope Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-25FT	25 Foot 13mm Galvanised Steel Wire Rope Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-2FT	2 Foot 13mm Galvanised Steel Wire Rope Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-30FT	30 Foot 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-3FT	3 Foot 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-4FT	4 Foot 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-5FT	5 Foot 13mm Galvanised Steel Wire Rope Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13G-8FT	8 Foot 13mm Galvanised SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
2.0 Tonne Metric Galv PVC Tube			
ACRSWRS13GT-0.5	0.5m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-0.75	0.75m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-1	1m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-1.5	1.5m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-10	10m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-10.5	10.5m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-15	15m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA

All prices are ex works High Wycombe, exclude VAT and are subject to change without notice. E&OE

A.C. Entertainment Technologies Limited

Tel: +44 (0)1494 446000


Fax: +44 (0)1494 461024

E-Mail: sales@ac-et.com

Website: www.ac-et.com

A.C. Rigging 11th February 2012 2:04PM

Section 126.0





ACRSWRS13GT-2	2m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-2.5	2.5m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-20	20m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-25	25m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-3	3m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-3.5	3.5m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-4	4m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-4.5	4.5m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-5	5m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-5.5	5.5m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-6	6m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-6.5	6.5m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-7	7m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-7.5	7.5m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-8	8m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-8.5	8.5m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-9	9m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-9.5	9.5m 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
2.0 Tonne Imperial Galv PVC Tube			
ACRSWRS13GT-10FT	10 Foot 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-15FT	15 Foot 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-1FT	1 Foot 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-20FT	20 Foot 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-25FT	25 Foot 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-2FT	2 Foot 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-30FT	30 Foot 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-3FT	3 Foot 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-4FT	4 Foot 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-5FT	5 Foot 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13GT-8FT	8 Foot 13mm Galvanised SWR Sling With Clear Tube. Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
2.0 Tonne Metric Black Steel			
ACRSWRS13B-0.5	0.5m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-0.75	0.75m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-1	1m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-1.5	1.5m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-10	10m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-10.5	10.5m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-15	15m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-2	2m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-2.5	2.5m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-20	20m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-25	25m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-3	3m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-3.5	3.5m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-4	4m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-4.5	4.5m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-5	5m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-5.5	5.5m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-6	6m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-6.5	6.5m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-7	7m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-7.5	7.5m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-8	8m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-8.5	8.5m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-9	9m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-9.5	9.5m 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
2.0 Tonne Imperial Black Steel			
ACRSWRS13B-10FT	10 Foot 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-15FT	15 Foot 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-1FT	1 Foot 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-20FT	20 Foot 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-25FT	25 Foot 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-2FT	2 Foot 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-30FT	30 Foot 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA

All prices are ex works High Wycombe, exclude VAT and are subject to change without notice. E&OE

A.C. Entertainment Technologies Limited

Tel: +44 (0)1494 446000


Fax: +44 (0)1494 461024

E-Mail: sales@ac-et.com

Website: www.ac-et.com

A.C. Rigging 11th February 2012 2:04PM

Section 126.0





ACRSWRS13B-3FT	3 Foot 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-4FT	4 Foot 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-5FT	5 Foot 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
ACRSWRS13B-8FT	8 Foot 13mm Black SWR Sling, Hard Eyes, Tapered Ferrules. WLL 2000kg	Each	POA
Softsteels			
ACR2TRS1.5MSS	2000kg Soft Steel Round Sling 1.5m Circ - 0.75m EWL	Each	£16.67
ACR2TRS1MSS	2000kg Soft Steel Round Sling 1m Circ - 0.5m EWL	Each	£11.31
ACR2TRS2MSS	2000kg Soft Steel Round Sling 2m Circ - 1m EWL	Each	£20.00
ACR2TRS4MSS	2000kg Soft Steel Round Sling 4m Circ - 2m EWL	Each	£37.50
ACR2TRS6MSS	2000kg Soft Steel Round Sling 6m Circ - 3m EWL	Each	£54.17
Shackles			
ACRBSHSC-2	2 Tonne Screw Pin Bow Shackle	Each	£3.15
ACRBSHSC-3.25	3.25 Tonne Screw Pin Bow Shackle	Each	£6.00
Chain And Accessories			
ACRCBS	Small Single Point Chain Bag	Each	£30.00
LICHB019	AC Rigging Single Point Professional Chain Bag - Medium	Each	£40.00
LICHB023	AC Rigging Single Point Professional Chain Bag - Large	Each	£60.00

All prices are ex works High Wycombe, exclude VAT and are subject to change without notice. E&OE


A.C. Entertainment Technologies Limited

Tel: +44 (0)1494 446000

Fax: +44 (0)1494 461024

E-Mail: sales@ac-et.com

Website: www.ac-et.com





CODE	DESCRIPTION	UOM	LIST
Hardware			
Safety Bonds			
Bonds			
VISB10030B	100kg 30cm Black Safety Wire With Karabiner	Each	£9.50
VISB10060B	100kg 60cm Black Safety Wire With Karabiner	Each	£9.50
VISB10150B	10kg 150cm Black Safety Wire	Each	£4.25
VISB1075B	10kg 75cm Black Safety Wire	Each	£3.45
VISB15200B	15kg 200cm Black Safety Wire	Each	£4.00
VISB1575B	15kg 75cm Black Safety Wire	Each	£4.50
VISB530B	5kg 30cm Black Safety Wire	Each	£2.50
VISB545B	5kg 45cm Black Safety Wire	Each	£2.50
VISB1045B	10kg 45cm Black Safety Wire	Each	£3.45
VISB1545B	15kg 45cm Black Safety Wire	Each	£4.50
VISB3575B	35kg 75cm Black Safety Wire	Each	£6.50
VISB5075B	50kg 75cm Black Safety Wire	Each	£7.50
VISB7575B	75kg 75cm Black Safety Wire	Each	£8.50
VISB10075B	100kg 75cm Black Safety Wire	Each	£17.50
VISB100100B	100kg 1m Black Safety Wire With Karabiner	Each	£17.50
Clamps			
Suspension Clamps			
VIHC-K	Vision 2 Inch Hook Clamp With Wingscrew - SWL 40kg With Nut And Bolt Set	Each	£4.13
VIHCBZ-K	Vision 2 Inch Hook Clamp Black Zinc With Wingscrew - SWL 40kg With Nut And Bolt Set	Each	£4.67
VIHC	Vision 2 Inch Hook Clamp With Wingscrew - SWL 40kg	Each	£3.20
VIHCBZ	Vision 2 Inch Hook Clamp Black Zinc With Wingscrew - SWL 40kg	Each	£3.80

All prices are ex works High Wycombe, exclude VAT and are subject to change without notice. E&OE

A.C. Entertainment Technologies Limited
 Tel: +44 (0)1494 446000
 Fax: +44 (0)1494 461024
 E-Mail: sales@ac-et.com
 Website: www.ac-et.com





CODE	DESCRIPTION	UOM	LIST
Truss & Structures			
Tools			
ACRHEELBAR300	300mm Heel Bar	Each	£7.40
ACRPODGE1719	17mm x 19mm Ratcheting Podger	Each	£27.60
THNH-38	Nylon Hammer 38mm Face With Wooden Handle	Each	£12.60
THNHSF-38	38mm Nylon Hammer - Spare Face	Each	£2.10

All prices are ex works High Wycombe, exclude VAT and are subject to change without notice. E&OE

A.C. Entertainment Technologies Limited
Tel: +44 (0)1494 446000
Fax: +44 (0)1494 461024
E-Mail: sales@ac-et.com
Website: www.ac-et.com

A.C. Rigging 11th February 2012 2:04PM
Section 126.2

