




NOW IN PREVIEW

Halu Connect

Fixture control software


The companion software for your HaluPix Duo and HaluStrip Duo fixtures. Discover, configure, monitor, and update every unit on your network - all from one place.

**DOWNLOAD**

Halu Connect is the new companion software for the PROLIGHTS HaluPix Duo and HaluStrip Duo fixtures. It is available now on the product page:

<https://prolights.it/product/HALUCONNECT>

It has been completely rebuilt to cover the whole workflow: discover fixtures on the network, address and configure an entire rig, preview it in 2D and 3D, test it live and keep every unit up to date, all from one tool. New software releases are delivered automatically inside the app, so you always run the latest version.





Device discovery

Pick your network interface and scan: Halu Connect finds every HaluPix Duo and HaluStrip Duo on the network in seconds, with a live counter and a model-by-model results summary. Start a new scan or load and merge a saved session.



V. 0.5.0 BETA

All Overview

Layout View

Stage View

List View

Configuration

Discovery

Tools



DISCOVERY

28 HALUPIXDUE FOUND

14 HALUSTRIPDUE FOUND

RESEARCH

VIEW



All Overview

Every fixture as a live card: online status, control mode, IP and firmware at a glance. Name the show, sort by ID, filter by model and jump straight into Configuration - 4 fixtures or 200, it stays readable.



V. 0.5.0 BETA

All Overview

Layout View

Stage View

List View

Configuration

Discovery

Tools



Arena Tour 2026

42 devices

28 HaluPixDuo

14 HaluStripDuo

ID

ID

ID

ID

ID

● HaluPixDuo ID 1 CONTROL MAIN IP 10.0.100.2 FW V 1.1.01.0	● HaluPixDuo ID 2 CONTROL MAIN IP 10.0.100.4 FW V 1.1.01.0	● HaluPixDuo ID 3 CONTROL MAIN IP 10.0.100.6 FW V 1.1.01.0	● HaluPixDuo ID 4 CONTROL MAIN IP 10.0.100.8 FW V 1.1.01.0	● HaluPixDuo ID 5 CONTROL MAIN IP 10.0.100.10 FW V 1.1.01.0	● HaluPixDuo ID 6 CONTROL MAIN IP 10.0.100.12 FW V 1.1.01.0	● HaluPixDuo ID 7 CONTROL MAIN IP 10.0.100.14 FW V 1.1.01.0
● HaluPixDuo ID 8 CONTROL MAIN IP 10.0.100.16 FW V 1.1.01.0	● HaluPixDuo ID 9 CONTROL MAIN IP 10.0.100.18 FW V 1.1.01.0	● HaluPixDuo ID 10 CONTROL MAIN IP 10.0.100.20 FW V 1.1.01.0	● HaluPixDuo ID 11 CONTROL MAIN IP 10.0.100.22 FW V 1.1.01.0	● HaluPixDuo ID 12 CONTROL MAIN IP 10.0.100.24 FW V 1.1.01.0	● HaluPixDuo ID 13 CONTROL MAIN IP 10.0.100.26 FW V 1.1.01.0	● HaluPixDuo ID 14 CONTROL MAIN IP 10.0.100.28 FW V 1.1.01.0
● HaluPixDuo ID 15 CONTROL MAIN IP 10.0.100.30 FW V 1.1.01.0	● HaluPixDuo ID 16 CONTROL MAIN IP 10.0.100.32 FW V 1.1.01.0	● HaluPixDuo ID 17 CONTROL MAIN IP 10.0.100.34 FW V 1.1.01.0	● HaluPixDuo ID 18 CONTROL MAIN IP 10.0.100.36 FW V 1.1.01.0	● HaluPixDuo ID 19 CONTROL MAIN IP 10.0.100.38 FW V 1.1.01.0	● HaluPixDuo ID 20 CONTROL MAIN IP 10.0.100.40 FW V 1.1.01.0	● HaluPixDuo ID 21 CONTROL MAIN IP 10.0.100.42 FW V 1.1.01.0
● HaluPixDuo ID 22 CONTROL MAIN IP 10.0.100.44 FW V 1.1.01.0	● HaluPixDuo ID 23 CONTROL MAIN IP 10.0.100.46 FW V 1.1.01.0	● HaluPixDuo ID 24 CONTROL MAIN IP 10.0.100.48 FW V 1.1.01.0	● HaluPixDuo ID 25 CONTROL MAIN IP 10.0.100.50 FW V 1.1.01.0	● HaluPixDuo ID 26 CONTROL MAIN IP 10.0.100.52 FW V 1.1.01.0	● HaluPixDuo ID 27 CONTROL MAIN IP 10.0.100.54 FW V 1.1.01.0	● HaluPixDuo ID 28 CONTROL MAIN IP 10.0.100.56 FW V 1.1.01.0






3D Stage View with MVR export

Take the same rig into 3D using the actual PROLIGHTS GDTF body models: position and rotate every fixture in meters and degrees, orbit the set, group selections, then export the whole scene as an MVR file for your previz / console software.



Configuration

A guided wizard - Source, Personality, Addressing, Settings, Send - takes a whole selection from zero to patched. Auto-increment IPs, DMX addresses and universes; Art-Net, sACN or both; overlap detection and per-device send verification. Works online or fully offline.






V. 0.5.0 BETA
All Overview
Layout View
Stage View
List View
Configuration
Discovery
Tools




Fixtures

☐ HaluPixDuo
 ☐ HaluStripDuo

✓ ID ▲	Model ⇅	Views ▼
✓ 1	HaluPixDuo	View 1
✓ 2	HaluPixDuo	View 1
✓ 3	HaluPixDuo	View 1
✓ 4	HaluPixDuo	View 1
✓ 5	HaluPixDuo	View 1
✓ 6	HaluPixDuo	View 1
✓ 7	HaluPixDuo	View 1
✓ 8	HaluPixDuo	View 1
✓ 9	HaluPixDuo	View 1
✓ 10	HaluPixDuo	View 1
✓ 11	HaluPixDuo	View 1
✓ 12	HaluPixDuo	View 1
✓ 13	HaluPixDuo	View 1
✓ 14	HaluPixDuo	View 1
✓ 15	HaluPixDuo	View 1
✓ 16	HaluPixDuo	View 1
✓ 17	HaluPixDuo	View 1

PATCH

TEST UNIVERSE

0-32/67

Single

Batch

0

Exit Test

Master 128 Speed 3 - Medium




 V. 0.5.0 BETA
 All Overview Layout View Stage View List View Configuration Discovery **Tools**

Ethernet (10.0.0.1)

 Refresh interfaces

A Fixtures must be on the same IP class as this interface (10.x.x.x), otherwise they won't be found.

Auto Update

HOW IT WORKS

1. **Pick the scan mode** and the network interface.
2. **Scan** the network to list the devices.
3. **Select** the devices to flash (tick the rows).
4. **Auto Update** to the recommended firmware, or use the caret to pick an  manually.

— GOOD TO KNOW

Always up to date

① COMPATIBILITY & UPDATES

Halu Connect keeps the whole fleet aligned: it reads each fixture's firmware version live, flags anything outdated and updates it in a couple of clicks - single unit or batch. The software itself updates automatically inside the app, so distributors and end users always run the latest version.

These firmware versions are already bundled inside Halu Connect: the **Firmware Tools** flash them straight from the app - no separate firmware file to download or manage. The current recommended versions for full compatibility are:

HaluPix Duo **1.1.01.0**

HaluStrip Duo **1.1.00.0**

BETA / PREVIEW

Your feedback shapes the final release

The software is currently in beta/preview: your feedback is very welcome and helps us shape the final release. For any question or to report an issue, write to us.

✉ **SEND FEEDBACK**


— THE HARDWARE BEHIND HALU CONNECT



HaluPix Duo

Layers of Creative Pixel Power

[LEARN MORE >](#)



HaluStrip Duo

Layers of Creative Pixel Power

[LEARN MORE >](#)

